





No.	ITEM	Pic	Product information		Package
			Features	Specificaton	
1	RT-5231	 <p>CE</p>	<p>Super duty impact wrench 1/2"</p> <ul style="list-style-type: none"> * Twin Hammer * Front exhaust * Heavy duty for automotive and tire shop 	<ul style="list-style-type: none"> * Square drive: 1/2" * Capacity bolt size: 5/8" (16mm) * Free speed: 7500rpm * Air consumption: 4cfm * Max torque: 480ft-lb (650Nm) * Net weight: 2.70kgs 	<p>Inner:Color box Qty:4pcs/ctn Meas:585*290*235mm</p>
2	RT-5560	 <p>CE</p>	<p>Super duty impact wrench 3/4"</p> <ul style="list-style-type: none"> * Twin Hammer * Handle exhaust * Heavy duty for automotive and tire shop 	<ul style="list-style-type: none"> * Square drive: 3/4" * Capacity bolt size: 1-1/8" (28mm) * Free speed: 4500rpm * Air consumption: 8cfm * Max torque: 900ft-lb (1220Nm) * Net weight: 4.60kgs 	<p>Inner:Color box Qty:4pcs/ctn Meas:585*290*235mm</p>
3	RT-5563	 <p>CE</p>	<p>Super duty impact wrench 1"</p> <ul style="list-style-type: none"> * Twin hammer * Front exhaust * Heavy duty for automotive and tire shop 	<ul style="list-style-type: none"> * Square drive: 1" * Capacity bolt size: 1-1/2" (38mm) * Free speed: 4500rpm * Air consumption: 12cfm * Max torque: 1400ft-lb (1898Nm) * Net weight: 7.00kgs 	<p>Inner:Color box Qty:4pcs/ctn Meas:585*290*235mm</p>
4	RT-5662	 <p>CE</p>	<p>Super duty impact wrench 1"</p> <ul style="list-style-type: none"> * Pinless Hammer * Side exhaust * Heavy duty for automotive and tire shop 	<ul style="list-style-type: none"> * Square drive: 1" * Capacity bolt size: 1-1/2" (38mm) * Free speed: 5000rpm * Air consumption: 10cfm * Max torque: 1770ft-lb (2400Nm) * Net weight: 9.95kgs 	<p>Inner:Color box Qty:4pcs/ctn Meas:585*290*235mm</p>

IMPACT WRENCHES

1/2" Drive Impact Wrench	Twin Hammer; Heavy duty; Front exhaust; Square drive; 5/8" (16mm) Capacity bolt size; Free speed 7500rpm; Air consumption 4cfm; Max torque 480ft-lb (650Nm); Net weight 2.70kgs
3/4" Drive Impact Wrench	Twin Hammer; Handle exhaust; Heavy duty ; Square drive: 3/4"; Capacity bolt size: 1-1/8" (28mm); Free speed: 4500rpm; Net weight: 4.60kgs; Max torque: 900ft-lb; (1220Nm); Air consumption: 8cfm
1" Drive Impact Wrench	Twin hammer; Front exhaust; Heavy duty; Square drive: 1"; Capacity bolt size: 1-1/2" (38mm); Free speed: 4500rpm; Air consumption: 12cfm; Max torque: 1400ft-lb (1898Nm); Net weight: 7.00kgs
1" Drive Impact Wrench	Pin less Hammer; Light weight and high torque; Heavy duty for automotive and tire shop; Square drive: 1"; Capacity bolt size: 1-1/2" (38mm); Free speed: 4000rpm; Air consumption: 12cfm; Max torque: 1696ft-lb
1" Drive Impact Wrench	Pin less Hammer; Side exhaust; Heavy duty; Square drive: 1"; Capacity bolt size: 1-1/2" (38mm); Free speed: 5000rpm; Air consumption: 10cfm; Max torque: 1770ft-lb (2400Nm); net weight: 9.95kg
1" Drive Impact Wrench	Pin less hammer; Side exhaust; Heavy duty; Square drive: 1"; Capacity bolt size: 1-3/4" (45mm); Free speed: 4000rpm; Air consumption: 10cfm; Max torque: 1920ft-lb (2600Nm); net weight: 12.5kgs
1" Drive Impact Wrench	Pin less hammer; Side exhaust; Heavy duty; Square drive: 1"; Capacity bolt size: 1-3/4" (45mm); Free speed: 3200rpm; Air consumption: 12cfm; Max torque: 2360ft-lb (3200Nm); Net weight: 16.00kgs
1" Drive Impact Wrench	Pin less hammer; Side exhaust; Heavy duty; Square drive: 1"; Capacity bolt size: 1-3/4" (45mm); Free speed: 3500rpm; Air consumption: 12cfm; Max torque: 2800ft-lb (3800Nm); Net weight: 18.0kgs
1-1/2" Drive Impact Wrench	Pin less hammer; Side exhaust; Heavy duty; Square drive: 1-1/2"; Capacity bolt size: 1-3/4" (45mm); Free speed: 3000rpm; Air consumption: 16cfm; Max torque: 3540ft-lb (4800Nm); Net weight: 18.0kgs

TITANIUM IMPACT SOCKETS (specialised sizes)

1-1/2" Drive Titanium Impact Socket	75mm x 1-1/2" drive Titanium impact socket; BCD-120mm; Overall length 180mm
1-1/2" Drive Titanium Impact Socket	80mm x 1-1/2" drive Titanium impact socket; BCD-120mm; Overall length 180mm
1-1/2" Drive Titanium Impact Socket	70mm x 1-1/2" drive Titanium impact socket; BCD-120mm; Overall length 165mm
1-1/2" Drive Titanium Impact Socket	65mm x 1-1/2" drive Titanium impact socket; BCD-105mm; Overall length 150mm
1-1/2" Drive Titanium Impact Socket	55mm x 1-1/2" drive Titanium impact socket; BCD-90mm; Overall length 130mm
1-1/2" Drive Titanium Impact Socket	50mm x 1-1/2" drive Titanium impact socket; BCD-95mm; Overall length 125mm
1-1/2" Drive Titanium Impact Socket	30mm x 1-1/2" drive Titanium impact socket; BCD-125mm; Overall length 160mm

1-1/2" Drive Titanium Impact Socket	80mm x 1-1/2" drive Titanium impact socket; BCD-65mm; Overall length 110mm
1-1/2" Drive Titanium Impact Socket	75mm x 1-1/2" drive Titanium impact socket; BCD-65mm; Overall length 110mm
1-1/2" Drive Titanium Impact Socket	70mm x 1-1/2" drive Titanium impact socket; BCD-65mm; Overall length 110mm
1-1/2" Drive Titanium Impact Socket	3-18" x 1-1/2" drive Titanium impact socket; 105mm BCD x 135mm total length
1-1/2" Drive Titanium Impact Socket	2-9/16" x 1-1/2" drive Titanium impact socket; 105mm BCD x 135mm total length
1-1/2" Drive Titanium Impact Socket	2-1/4" x 1" drive Titanium impact socket; 40mm BCD x 80mm total length
1-1/2" Drive Titanium Impact Socket	1-7/16" x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
1-1/2" Drive Titanium Impact Socket	1-1/4" x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
1-1/2" Drive Titanium Impact Socket	1-3/4" x 1" drive Titanium impact socket; 65mm BCD x 100mm total length
1-1/2" Drive Titanium Impact Socket	2-1/4" x 1-1/2" drive Titanium impact socket; 70mm BCD x 100mm total length
1" Drive Titanium Impact Socket	80mm x 1" drive Titanium impact socket; BCD-65mm; Overall length 110mm
1" Drive Titanium Impact Socket	75mm x 1" drive Titanium impact socket; BCD-65mm; Overall length 110mm
1" Drive Titanium Impact Socket	70mm x 1" drive Titanium impact socket; BCD-65mm; Overall length 110mm
1" Drive Titanium Impact Socket	70mm x 1" drive Titanium impact socket; BCD-80mm; Overall length 125mm
1" Drive Titanium Impact Socket	65mm x 1" drive Titanium impact socket; BCD-80mm; Overall length 125mm
1" Drive Titanium Impact Socket	55mm x 1" drive Titanium impact socket; BCD-95mm; Overall length 125mm
1" Drive Titanium Impact Socket	55mm x 1" drive Titanium impact socket; BCD-210mm; Overall length 250mm
1" Drive Titanium Impact Socket	50mm x 1" drive Titanium impact socket; BCD-160mm; Overall length 210mm
1" Drive Titanium Impact Socket	50mm x 1" drive Titanium impact socket; BCD-165mm; Overall length 195mm
1" Drive Titanium Impact Socket	50mm x 1" drive Titanium impact socket; BCD-150mm; Overall length 180mm
1" Drive Titanium Impact Socket	46mm x 1" drive Titanium impact socket; 130mm BCD x 160mm total length
1" Drive Titanium Impact Socket	46mm x 1" drive Titanium impact socket; 125mm BCD x 150mm total length
1" Drive Titanium Impact Socket	46mm x 1" drive Titanium impact socket; 180mm BCD x 200mm total length

1" Drive Titanium Impact Socket	42mm x 1" drive Titanium impact socket; 175mm BCD x 210mm total length
1" Drive Titanium Impact Socket	42mm x 1" drive Titanium impact socket; 125mm BCD x 150mm total length
1" Drive Titanium Impact Socket	41mm x 1" drive Titanium impact socket; 125mm BCD x 160mm total length
1" Drive Titanium Impact Socket	40mm x 1" drive Titanium impact socket; 115mm BCD x 150mm total length
1" Drive Titanium Impact Socket	36mm x 1" drive Titanium impact socket; 140mm BCD x 170mm total length
1" Drive Titanium Impact Socket	36mm x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
1" Drive Titanium Impact Socket	32mm x 1" drive Titanium impact socket; 60mm BCD x 110mm total length
1" Drive Titanium Impact Socket	30mm x 1" drive Titanium impact socket; BCD-125mm; Overall length 160mm
1" Drive Titanium Impact Socket	30mm x 1" drive Titanium impact socket; 125mm BCD x 155mm total length
1" Drive Titanium Impact Socket	30mm x 1" drive Titanium impact socket; 235mm BCD x 270mm total length
1" Drive Titanium Impact Socket	24mm x 1" drive Titanium impact socket; 230mm BCD x 270mm total length
1" Drive Titanium Impact Socket	24mm x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
1" Drive Titanium Impact Socket	3-1/8" x 1" drive Titanium impact socket; 105mm BCD x 135mm total length
1" Drive Titanium Impact Socket	2-9/16" x 1" drive Titanium impact socket; 105mm BCD x 135mm total length
1" Drive Titanium Impact Socket	2-1/4" x 1" drive Titanium impact socket; 40mm BCD x 80mm total length
1" Drive Titanium Impact Socket	1-13/16" x 1" drive Titanium impact socket; 40mm BCD x 70mm total length
1" Drive Titanium Impact Socket	1-7/16" x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
1" Drive Titanium Impact Socket	1-1/4" x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
1" Drive Titanium Impact Socket	1-3/4" x 1" drive Titanium impact socket; 65mm BCD x 100mm total length
1" Drive Titanium Impact Socket	2-1/4" x 1" drive Titanium impact socket; 70mm BCD x 100mm total length
3/4" Drive Titanium Impact Socket	55mm x 1" drive Titanium impact socket; BCD-95mm; Overall length 125mm
3/4" Drive Titanium Impact Socket	55mm x 1" drive Titanium impact socket; BCD-210mm; Overall length 250mm
3/4" Drive Titanium Impact Socket	50mm x 1" drive Titanium impact socket; BCD-160mm; Overall length 210mm
3/4" Drive Titanium Impact Socket	50mm x 1" drive Titanium impact socket; BCD-165mm; Overall length 195mm
3/4" Drive Titanium Impact Socket	50mm x 3/4" drive Titanium impact socket; 35mm BCD x 65mm total length

3/4" Drive Titanium Impact Socket	46mm x 3/4" drive Titanium impact socket; 130mm BCD x 160mm total length
3/4" Drive Titanium Impact Socket	46mm x 3/4" drive Titanium impact socket; 180mm BCD x 200mm total length
3/4" Drive Titanium Impact Socket	42mm x 3/4" drive Titanium impact socket; 65mm BCD x 90mm total length
3/4" Drive Titanium Impact Socket	42mm x 1" drive Titanium impact socket; 175mm BCD x 210mm total length
3/4" Drive Titanium Impact Socket	41mm x 1" drive Titanium impact socket; 35mm BCD x 65mm total length
3/4" Drive Titanium Impact Socket	41mm x 1" drive Titanium impact socket; 125mm BCD x 160mm total length
3/4" Drive Titanium Impact Socket	40mm x 1" drive Titanium impact socket; 115mm BCD x 150mm total length
3/4" Drive Titanium Impact Socket	36mm x 1" drive Titanium impact socket; 140mm BCD x 170mm total length
3/4" Drive Titanium Impact Socket	36mm x 3/4" drive Titanium impact socket; 75mm BCD x 100mm total length
3/4" Drive Titanium Impact Socket	36mm x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
3/4" Drive Titanium Impact Socket	32mm x 3/4" drive Titanium impact socket; 60mm BCD x 110mm total length
3/4" Drive Titanium Impact Socket	32mm x 3/4" drive Titanium impact socket; 65mm BCD x 90mm total length
3/4" Drive Titanium Impact Socket	30mm x 1" drive Titanium impact socket; BCD-125mm; Overall length 160mm
3/4" Drive Titanium Impact Socket	30mm x 1" drive Titanium impact socket; 125mm BCD x 155mm total length
3/4" Drive Titanium Impact Socket	30mm x 1" drive Titanium impact socket; 235mm BCD x 270mm total length
3/4" Drive Titanium Impact Socket	24mm x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
3/4" Drive Titanium Impact Socket	24mm x 3/4" drive Titanium impact socket; 230mm BCD x 270mm total length
3/4" Drive Titanium Impact Socket	3-1/8" x 1" drive Titanium impact socket; 105mm BCD x 135mm total length
3/4" Drive Titanium Impact Socket	2-9/16" x 1" drive Titanium impact socket; 105mm BCD x 135mm total length
3/4" Drive Titanium Impact Socket	2-1/4" x 1" drive Titanium impact socket; 40mm BCD x 80mm total length
3/4" Drive Titanium Impact Socket	1-7/16" x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
3/4" Drive Titanium Impact Socket	1-1/4" x 1" drive Titanium impact socket; 60mm BCD x 90mm total length
3/4" Drive Titanium Impact Socket	1-3/4" x 1" drive Titanium impact socket; 65mm BCD x 100mm total length
3/4" Drive Titanium Impact Socket	2-1/4" x 1-1/2" drive Titanium impact socket; 70mm BCD x 100mm total length
3/4" Drive Titanium Impact Socket	

HEAVY DUTY STEEL IMPACT SOCKETS (specialised sizes)	
1-1/2" Drive Heavy Duty Impact Socket	75mm x 1-1/2" drive heavy duty impact socket; BCD-115mm; Overall length 180mm
1-1/2" Drive Heavy Duty Impact Socket	80mm x 1-1/2" drive heavy duty impact socket; BCD-115mm; Overall length 180mm
1-1/2" Drive Heavy Duty Impact Socket	75mm x 1-1/2" drive impact socket; BCD-120mm; Overall length 180mm
1-1/2" Drive Heavy Duty Impact Socket	75mm x 1-1/2" drive impact socket; BCD-65mm; Overall length 110mm
1-1/2" Drive Heavy Duty Impact Socket	70mm x 1-1/2" drive impact socket; BCD-65mm; Overall length 110mm
1-1/2" Drive Heavy Duty Impact Socket	80mm x 1-1/2" drive impact socket; BCD-120mm; Overall length 180mm
1-1/2" Drive Heavy Duty Impact Socket	70mm x 1-1/2" drive impact socket; BCD-120mm; Overall length 165mm
1-1/2" Drive Heavy Duty Impact Socket	65mm x 1-1/2" drive impact socket; BCD-105mm; Overall length 150mm
1-1/2" Drive Heavy Duty Impact Socket	55mm x 1-1/2" drive impact socket; BCD-90mm; Overall length 130mm
1-1/2" Drive Heavy Duty Impact Socket	50mm x 1-1/2" drive impact socket; BCD-95mm; Overall length 125mm
1-1/2" Drive Heavy Duty Impact Socket	30mm x 1-1/2" drive impact socket; BCD-125mm; Overall length 160mm
1-1/2" Drive Heavy Duty Impact Socket	80mm x 1-1/2" drive impact socket; BCD-65mm; Overall length 110mm
1-1/2" Drive Heavy Duty Impact Socket	3-18" x 1-1/2" drive impact socket; 105mm BCD x 135mm total length
1-1/2" Drive Heavy Duty Impact Socket	2-9/16" x 1-1/2" drive impact socket; 105mm BCD x 135mm total length
1-1/2" Drive Heavy Duty Impact Socket	2-1/4" x 1" drive impact socket; 40mm BCD x 80mm total length
1-1/2" Drive Heavy Duty Impact Socket	1-7/16" x 1" drive impact socket; 60mm BCD x 90mm total length
1-1/2" Drive Heavy Duty Impact Socket	1-1/4" x 1" drive impact socket; 60mm BCD x 90mm total length
1-1/2" Drive Heavy Duty Impact Socket	1-3/4" x 1" drive impact socket; 65mm BCD x 100mm total length
1-1/2" Drive Heavy Duty Impact Socket	2-1/4" x 1-1/2" drive impact socket; 70mm BCD x 100mm total length
1" Drive Heavy Duty Impact Socket	80mm x 1" drive impact socket; BCD-65mm; Overall length 110mm
1" Drive Heavy Duty Impact Socket	75mm x 1" drive impact socket; BCD-65mm; Overall length 110mm
1" Drive Heavy Duty Impact Socket	70mm x 1" drive impact socket; BCD-65mm; Overall length 110mm
1" Drive Heavy Duty Impact Socket	70mm x 1" drive impact socket; BCD-80mm; Overall length 125mm
1" Drive Heavy Duty Impact Socket	65mm x 1" drive impact socket; BCD-80mm; Overall length 125mm
1" Drive Heavy Duty Impact Socket	55mm x 1" drive impact socket; BCD-95mm; Overall length 125mm

1' Drive Heavy Duty Impact Socket	55mm x 1" drive impact socket; BCD-210mm; Overall length 250mm
1' Drive Heavy Duty Impact Socket	50mm x 1" drive impact socket; BCD-160mm; Overall length 210mm
1' Drive Heavy Duty Impact Socket	50mm x 1" drive impact socket; BCD-165mm; Overall length 195mm
1' Drive Heavy Duty Impact Socket	50mm x 1" drive impact socket; BCD-150mm; Overall length 180mm
1' Drive Heavy Duty Impact Socket	46mm x 1" drive impact socket; 130mm BCD x 160mm total length
1' Drive Heavy Duty Impact Socket	46mm x 1" drive impact socket; 125mm BCD x 150mm total length
1' Drive Heavy Duty Impact Socket	42mm x 1" drive impact socket; 175mm BCD x 210mm total length
1' Drive Heavy Duty Impact Socket	42mm x 1" drive impact socket; 125mm BCD x 150mm total length
1' Drive Heavy Duty Impact Socket	41mm x 1" drive impact socket; 125mm BCD x 160mm total length
1' Drive Heavy Duty Impact Socket	40mm x 1" drive impact socket; 115mm BCD x 150mm total length
1' Drive Heavy Duty Impact Socket	36mm x 1" drive impact socket; 140mm BCD x 170mm total length
1' Drive Heavy Duty Impact Socket	36mm x 1" drive impact socket; 60mm BCD x 90mm total length
1' Drive Heavy Duty Impact Socket	32mm x 1" drive impact socket; 60mm BCD x 110mm total length
1' Drive Heavy Duty Impact Socket	30mm x 1" drive impact socket; BCD-125mm; Overall length 160mm
1' Drive Heavy Duty Impact Socket	30mm x 1" drive impact socket; 125mm BCD x 155mm total length
1' Drive Heavy Duty Impact Socket	30mm x 1" drive impact socket; 235mm BCD x 270mm total length
1' Drive Heavy Duty Impact Socket	24mm x 1" drive impact socket; 60mm BCD x 90mm total length
1' Drive Heavy Duty Impact Socket	3-18" x 1-1/2" drive impact socket; 105mm BCD x 135mm total length
1' Drive Heavy Duty Impact Socket	2-9/16" x 1-1/2" drive impact socket; 105mm BCD x 135mm total length
1' Drive Heavy Duty Impact Socket	2-1/4" x 1" drive impact socket; 40mm BCD x 80mm total length
1' Drive Heavy Duty Impact Socket	1-7/16" x 1" drive impact socket; 60mm BCD x 90mm total length
1' Drive Heavy Duty Impact Socket	1-1/4" x 1" drive impact socket; 60mm BCD x 90mm total length
1' Drive Heavy Duty Impact Socket	1-3/4" x 1" drive impact socket; 65mm BCD x 100mm total length
1' Drive Heavy Duty Impact Socket	2-1/4" x 1-1/2" drive impact socket; 70mm BCD x 100mm total length
3/4" Drive Heavy Duty Impact Socket	55mm x 1" drive impact socket; BCD-95mm; Overall length 125mm
3/4" Drive Heavy Duty Impact Socket	55mm x 1" drive impact socket; BCD-210mm; Overall length 250mm

3/4" Drive Heavy Duty Impact Socket	50mm x 1" drive impact socket; BCD-160mm; Overall length 210mm
3/4" Drive Heavy Duty Impact Socket	50mm x 1" drive impact socket; BCD-165mm; Overall length 195mm
3/4" Drive Heavy Duty Impact Socket	50mm x 3/4" drive impact socket; 35mm BCD x 65mm total length
3/4" Drive Heavy Duty Impact Socket	46mm x 3/4" drive impact socket; 130mm BCD x 160mm total length
3/4" Drive Heavy Duty Impact Socket	42mm x 3/4" drive impact socket; 65mm BCD x 90mm total length
3/4" Drive Heavy Duty Impact Socket	36mm x 3/4" drive impact socket; 75mm BCD x 100mm total length
3/4" Drive Heavy Duty Impact Socket	32mm x 3/4" drive impact socket; 65mm BCD x 90mm total length
3/4" Drive Heavy Duty Impact Socket	42mm x 3/4" drive impact socket; 60mm BCD x 85mm total length
3/4" Drive Heavy Duty Impact Socket	42mm x 3/4" drive impact socket; 175mm BCD x 210mm total length
3/4" Drive Heavy Duty Impact Socket	41mm x 3/4" drive impact socket; 125mm BCD x 160mm total length
3/4" Drive Heavy Duty Impact Socket	41mm x 3/4" drive impact socket; 60mm BCD x 85mm total length
3/4" Drive Heavy Duty Impact Socket	40mm x 3/4" drive impact socket; 115mm BCD x 150mm total length
3/4" Drive Heavy Duty Impact Socket	36mm x 3/4" drive impact socket; 140mm BCD x 170mm total length
3/4" Drive Heavy Duty Impact Socket	36mm x 3/4" drive impact socket; 60mm BCD x 90mm total length
3/4" Drive Heavy Duty Impact Socket	32mm x 3/4" drive impact socket; 60mm BCD x 85mm total length
3/4" Drive Heavy Duty Impact Socket	32mm x 3/4" drive impact socket; 60mm BCD x 110mm total length
3/4" Drive Heavy Duty Impact Socket	30mm x 3/4" drive impact socket; BCD-125mm; Overall length 160mm
3/4" Drive Heavy Duty Impact Socket	30mm x 3/4" drive impact socket; 125mm BCD x 155mm total length
3/4" Drive Heavy Duty Impact Socket	30mm x 3/4" drive impact socket; 235mm BCD x 270mm total length
3/4" Drive Heavy Duty Impact Socket	24mm x 3/4" drive impact socket; 230mm BCD x 270mm total length
3/4" Drive Heavy Duty Impact Socket	24mm x 3/4" drive impact socket; 60mm BCD x 85mm total length
3/4" Drive Heavy Duty Impact Socket	3-18" x 1-1/2" drive impact socket; 105mm BCD x 135mm total length
3/4" Drive Heavy Duty Impact Socket	2-9/16" x 1-1/2" drive impact socket; 105mm BCD x 135mm total length
3/4" Drive Heavy Duty Impact Socket	2-1/4" x 1" drive impact socket; 40mm BCD x 80mm total length
3/4" Drive Heavy Duty Impact Socket	1-7/16" x 1" drive impact socket; 60mm BCD x 90mm total length
3/4" Drive Heavy Duty Impact Socket	1-1/4" x 1" drive impact socket; 60mm BCD x 90mm total length

3/4" Drive Heavy Duty Impact Socket	1-3/4" x 1" drive impact socket; 65mm BCD x 100mm total length
3/4" Drive Heavy Duty Impact Socket	2-1/4" x 1-1/2" drive impact socket; 70mm BCD x 100mm total length
SOCKET ADAPTERS	
1-1/2" Drive swivel adaptor	1-1/2" to 1-1/2" Drive swivel adaptor (knuckle)
1" Drive swivel adaptor	1" to 1" Drive swivel adaptor (knuckle)
3/4" Drive swivel adaptor	3/4" to 1-1/2" Drive swivel adaptor (knuckle)
3/4" Drive swivel adaptor	3/4" to 3/4" Drive swivel adaptor (knuckle)
1" Drive Swivel Reducer	1" Drive to 3/4" drive reducer
3/4" Drive Adaptor	3/4" drive to 1" drive Adaptor
1" Drive swivel adaptor	1" to 1-1/2" Drive swivel adaptor (knuckle)
1" Drive Hexagon Adaptor	1" Drive to 1" Drive Hexagon Adaptor
IMPACT SOCKETS (NORMAL SIZES-SETS)	
1" Drive Heavy Duty Impact Socket	32mm x 1" drive impact socket
1" Drive Heavy Duty Impact Socket	36mm x 1" drive impact socket
1" Drive Heavy Duty Impact Socket	41mm x 1" drive impact socket
1" Drive Heavy Duty Impact Socket	42mm x 1" drive impact socket
1" Drive Heavy Duty Impact Socket	32mm x 1" drive impact socket
1" Drive Heavy Duty Impact Socket	36mm x 1" drive impact socket
3/4" Drive Heavy Duty Impact Socket	32mm x 3/4" drive impact socket
3/4" Drive Heavy Duty Impact Socket	36mm x 3/4" drive impact socket
3/4" Drive Heavy Duty Impact Socket	41mm x 3/4" drive impact socket
3/4" Drive Heavy Duty Impact Socket	42mm x 3/4" drive impact socket